



CMXPLUS Surge Protectors

NEW

DITEK's CMXPLUS Series of durable, cost-effective surge protective devices are used in a wide range of applications. These compact parallel-mount SPD's are available for 240V, 480V and 600V, 3-phase systems: and are the best choice for effective, performance driven surge protection.

CMXPLUS Features

- NEMA 4X enclosure allows for use in harsh environments
- Parallel connection for easy installation
- Diagnostic LED indicates system power and function
- Automatically resets to handle multiple surge events

Applications

- Electric Panels
- Control Panels
- Pumps and Motors
- HVAC Equipment



| Item ID | Description | Service Voltage | Phase | Type |
|------------------------|-------------------------|-----------------|-------|------------|
| DTK-2403CMXPLUS | Packard Surge Protector | 208/240VAC | 3 | SPD Type 1 |
| DTK-4803CMXPLUS | Packard Surge Protector | 480VAC | 3 | SPD Type 1 |
| DTK-6003CMXPLUS | Packard Surge Protector | 600VAC | 3 | SPD Type 1 |



WARNING: Cancer - www.P65Warnings.ca.gov





Ditek Surge Protectors

PSP72KA Features

- Weatherproof enclosure
- Parallel connection for easy installation
- Diagnostic LED provides positive indication of power, ground presence, and surge protection
- Automatically resets to handle multiple surge events
- Typical Applications: A/C disconnect, small electrical panels, pool/well pumps
- Half the response time as similar models
- UL1449 Edition 3, I rated
- NEMA 4 rated on the housing



PSP38VDC Features

- Voice, Data and Signaling circuit surge protection
- Adds no resistance to loop circuits
- #22-#16 AWG screw terminal connections
- For 24 volt service



| Item ID | DITEK ID | Service Wiring | Peak Surge Current | MCOV | UL 1449, 3rd Ed. V.P.R. | Short Circuit Current Rating | UL1449, 3rd Ed. In Rating | Direct Replacement For |
|----------|----------------|-----------------------------------|-------------------------------|----------|-------------------------|------------------------------|---------------------------|------------------------|
| PSP38VDC | DTK-2LVPL-LV | Screw Term | 2,000 Amps/Pair | 38VDC | UL497A & B | — | — | SYCST027B |
| PSP72KA | DTK-120/240CM+ | Split Φ (2W + G), 120/240VAC | 72,000A/Phase 36,000A/Mode | 130/260V | 500V L-G 900V L-L | 10,000A | 10,000A | SMC60 SMC150 |



WARNING: Cancer - www.P65Warnings.ca.gov

